

Table Saw Stand

Materials List

A	Left Stiles (2)	$1\frac{1}{2} \times 3\frac{1}{2}$ - 31	R	Large Drawer Sides (2)	$\frac{1}{2} \times 8\frac{1}{2}$ - 26	<ul style="list-style-type: none"> • (8) #12 Flat Washers • (3) 1"-dia. Knurled Knobs • (3) $\frac{5}{16}$"-18 x $1\frac{1}{2}$" Cap Screws • (4) 1"-dia. x 24" Black Iron Pipes • (6) 1"-dia. Pipe Caps • (2) $\frac{1}{2}$"-dia. x 6" Black Iron Pipes • (2) $\frac{1}{2}$"-dia. Pipe Caps • (4) $\frac{5}{16}$"-18 T-Nuts • (4) $\frac{5}{16}$"-18 x 3" Hex Bolts • (4) $\frac{5}{16}$" Flat Washers • (1) Clamp-On Roller Support • (16) #8 x $1\frac{1}{4}$" Fh Woodscrews • (20) #8 x 1" Fh Woodscrews • (5) 4" Drawer Pulls • (10) #8 x 1" Rh Woodscrews • (12) #6 x $\frac{3}{4}$" Fh Woodscrews
B	Right Stiles (2)	$1\frac{1}{2} \times 3\frac{1}{2}$ - 18 $\frac{3}{4}$	S	Lg. Drawer Front/Back (2)	$\frac{1}{2} \times 8\frac{1}{2}$ - 13 $\frac{3}{8}$	
C	Rails (4)	$1\frac{1}{2} \times 5$ - 24	T	Lg. Drawer Bottom (1)	13 $\frac{3}{8}$ x 25 $\frac{1}{2}$ - $\frac{1}{4}$ Ply.	
D	Upper Rail (1)	$1\frac{1}{2} \times 3$ - 24	U	Lg. False Front (1)	$\frac{3}{4} \times 9\frac{1}{16}$ - 14 $\frac{3}{4}$	
E	Stretchers (4)	$1\frac{1}{2} \times 3$ - 45	V	Small Drawer Sides (8)	$\frac{1}{2} \times 4$ - 26	
F	Caster Plate (1)	$1\frac{1}{2} \times 5\frac{1}{2}$ - 25	W	Sm. Drawer Fronts/Backs (8)	$\frac{1}{2} \times 4$ - 10 $\frac{1}{2}$	
G	Handle Rail (1)	$1\frac{1}{2} \times 2\frac{1}{4}$ - 25	X	Sm. Drawer Bottoms (4)	10 $\frac{1}{2}$ x 25 $\frac{1}{2}$ - $\frac{1}{4}$ Ply.	
H	Outfeed Support Rail (1)	$1\frac{1}{2} \times 2\frac{1}{4}$ - 32	Y	Sm. False Fronts (4)	$\frac{3}{4} \times 4\frac{1}{2}$ - 11 $\frac{7}{8}$	
I	Outfeed Bracket (1)	$1\frac{1}{2} \times 4$ - 36				
J	Side Support Arm (1)	$1\frac{1}{2} \times 2$ - 28				
K	Insert Blocks (2)	$\frac{3}{4} \times 3$ - 3				
L	Shelves (2)	26 $\frac{1}{2}$ x 42 - $\frac{3}{4}$ Ply.				
M	Case Sides (2)	27 $\frac{1}{2}$ x 10 $\frac{1}{16}$ - $\frac{3}{4}$ Ply.				
N	Case Top & Bottom (2)	27 $\frac{1}{2}$ x 40 $\frac{7}{8}$ - $\frac{3}{4}$ Ply.				
O	Dividers (2)	27 $\frac{1}{2}$ x 9 $\frac{1}{16}$ - $\frac{3}{4}$ Ply.				
P	Case Back (1)	10 $\frac{1}{16}$ x 41 $\frac{7}{8}$ - $\frac{1}{4}$ Ply.				
Q	Edging (1)	$\frac{1}{4} \times \frac{3}{4}$ - 125 rgh.				

Cutting Diagram


2" x 6" - B' DOUGLAS FIR



2" x 6" - B' DOUGLAS FIR



2" x 6" - B' DOUGLAS FIR



2" x 6" - B' DOUGLAS FIR



2" x 6" - B' DOUGLAS FIR




2" x 6" - B' DOUGLAS FIR




Cutting Diagram cont.

3/4" x 9 1/2" - 48" HARD MAPLE (3.2 Bd. Ft.)



1/2" x 9 1/2" - 96" HARD MAPLE (6.3 Sq. Ft.)



1/2" x 5 1/2" - 96" HARD MAPLE (3.6 Sq. Ft.)



1/2" x 5 1/2" - 96" HARD MAPLE (3.6 Sq. Ft.)




1/2" x 5 1/2" - 96" HARD MAPLE (3.6 Sq. Ft.)



1/2" x 5 1/2" - 96" HARD MAPLE (3.6 Sq. Ft.)




48" x 48" - 3/4" BIRCH PLYWOOD




Cutting Diagram cont.

48" x 96" - 3/4" BIRCH PLYWOOD



48" x 96" - 3/4" BIRCH PLYWOOD



48" x 96" - 1/4" BIRCH PLYWOOD

